

List of metabolites

The choice is yours. biocrates offers the technology to detect and quantify more than 1000 metabolites.

biocrates.com



List of metabolites – metabolic phenotyping kits & services

At the biocrates metabolic phenotyping service center we make our know-how available to partners in the industry and academia. We quantify more than 1000 metabolites, analyze a wide range of species and samples, and adapt methods to specific needs. Our services include metabolite pathway analysis to assist the annotation of results and biological interpretation of data.

The number of metabolites indicates the total number of metabolites that are covered by the assay. Depending on the sample type and species as well as the used mass spectrometer, certain metabolites may be below the detection limit.

For metabolic phenotyping services, please contact: services@biocrates.com

For kits and general questions, please contact: sales@biocrates.com

Portfolio overview

Approach	Assay name	Number of metabolites	Sample volume [μ l] ¹⁾	Page
Targeted profiling assay	MxP® Quant 500 kit	630	10 ²⁾	4
	AbsoluteIDQ® p400 HR kit	408	10 ²⁾	11
	MxP® Quant HR Xpress kit ³⁾	363	10 ²⁾	15
	AbsoluteIDQ® p180 kit	188	10 ²⁾	19
Specialized assay	AbsoluteIDQ® Bile acids kit	20	10-20 ²⁾	22
	AbsoluteIDQ® Stero17 kit ⁴⁾	17	250-550 ²⁾	22
	Acylcarnitine assay	44	20	23
	Eicosanoid assay	17	30	23
	Energy metabolism assay	21	130	24
	Fatty acid assay (total/free)	31/32	35	24
	Lipid assay	326	30	25
	Oxysterol assay	18	30	27
	Tryptophan metabolism assay	17	100	28

NEW

NEW

NEW

¹⁾ Human plasma/serum, for other matrices please inquire

²⁾ For metabolic phenotyping services, a different sample volume applies. Please contact services@biocrates.com

³⁾ Kit product only; not available in metabolic phenotyping services

⁴⁾ Not for sale in USA and Canada

biocrates kits & services

	MxP® Quant 500 kit	AbsoluteIDQ® p400 HR kit	MxP® Quant HR Xpress kit ³⁾	AbsoluteIDQ® p180 kit	AbsoluteIDQ® Bile acids kit	AbsoluteIDQ® Stero17 kit ⁴⁾	Acylcarnitine assay	Eicosanoid assay	Energy metabolism assay	Fatty acid assay (total/free)	Lipid assay	Oxysterol assay	Tryptophan metabolism assay
Number of metabolites	630	408	363	188	20	17	44	17	21	31/ 32	326	18	17
Sample volume [µl] ¹⁾	10 ²⁾				10- 20 ²⁾	250- 550 ²⁾	20	30	130	35	30	30	100
Metabolite class: SMALL MOLECULES													
Alkaloids	1												
Amine oxides	1												
Amino acids	20	21	20	21					8				1
Amino acid related	30												10
Bile acids	14				20								
Biogenic amines	9	21	21	21									1
Carbohydrates & related	1	1	1	1					2				
Carboxylic acids	7												
Cresols	1												
Eicosanoids								15					
Energy metabolism intermediates									11				
Fatty acids	12									31/ 32			
Hormones & related	4					17							
Indoles & derivatives	4												2
Nucleobases & related	2												
Vitamins & cofactors	1												3

biocrates kits & services (continued)

	Mxp® Quant 500 kit	AbsolutelDQ® p400 HR kit	Mxp® Quant HR Xpress kit ³⁾	AbsolutelDQ® p180 kit	AbsolutelDQ® Bile acids kit	AbsolutelDQ® Stero17 kit ⁴⁾	Acylcarnitine assay	Eicosanoid assay	Energy metabolism assay	Fatty acid assay (total/free)	Lipid assay	Oxysterol assay	Tryptophan metabolism assay
Metabolite class: LIPIDS													
(Acyl-)Carnitines	40	55	11	40			44						
Lysophosphatidyl-cholines	14	24	24	14							6		
Phosphatidyl-cholines	76	172	172	76							47		
Lysophosphatidyl-ethanolamines											9		
Phosphatidyl-ethanolamines											54		
Lysophosphatidyl-glycerols											1		
Phosphatidyl-glycerols											18		
Phosphatidyl-serines											27		
Sphingomyelins	15	31	31	15							33		
Ceramides	28	9	9								66		
Dihydroceramides	8										65		
Hexosylceramides	19												
Dihexosyl-ceramides	9												
Trihexosyl-ceramides	6												
Cholesteryl esters	22	14	14										
Diglycerides	44	18	18										
Triglycerides	242	42	42										
Free (oxy-)sterols												18	

¹⁾ Human plasma/serum, for other matrices, please inquire

²⁾ For metabolic phenotyping services, a different sample volume applies. Please contact services@biocrates.com

³⁾ Kit product only; not available in metabolic phenotyping services

⁴⁾ Not for sale in USA and Canada

MxP® Quant 500 kit

Alkaloids (1)			
Trigonelline	Trigonelline		

Amine oxides (1)			
TMAO	Trimethylamine N-oxide		

Amino acids (20)			
Ala	Alanine	Leu	Leucine
Arg	Arginine	Lys	Lysine
Asn	Asparagine	Met	Methionine
Asp	Aspartate	Phe	Phenylalanine
Cys	Cysteine	Pro	Proline
Glu	Glutamate	Ser	Serine
Gln	Glutamine	Thr	Threonine
Gly	Glycine	Trp	Tryptophan
His	Histidine	Tyr	Tyrosine
Ile	Isoleucine	Val	Valine

Amino acid related (30)			
alpha-AAA	α -Aminoadipic acid	c4-OH-Pro	<i>cis</i> -4-Hydroxyproline
AABA	α -Aminobutyric acid	t4-OH-Pro	<i>trans</i> -4-Hydroxyproline
Ac-Orn	Acetylornithine	Kynurenine	Kynurenine
ADMA	Asymmetric dimethylarginine	Met-SO	Methionine sulfoxide
Anserine	Anserine	1-Met-His	1-Methylhistidine
5-AVA	5-Aminovaleric acid	3-Met-His	3-Methylhistidine
BABA	β -Aminobutyric acid	Nitro-Tyr	Nitrotyrosine
Betaine	Betaine	Orn	Ornithine
Carnosine	Carnosine	PAG	Phenylacetyl glycine
Cit	Citrulline	PheAlaBetaine	Phenylalanine betaine
Creatinine	Creatinine	ProBetaine	Proline betaine
Cystine	Cystine	Sarcosine	Sarcosine
DOPA	Dihydroxyphenylalanine	SDMA	Symmetric dimethylarginine
HArg	Homoarginine	Taurine	Taurine
HCys	Homocysteine	TrpBetaine	Tryptophan betaine

Bile acids (14)			
CA	Cholic acid	GLCAS	Glycolithocholic acid sulfate
CDCA	Chenodeoxycholic acid	GDCA	Glycoursodeoxycholic acid
DCA	Deoxycholic acid	TCA	Taurocholic acid
GCA	Glycocholic acid	TCDCA	Taurochenodeoxycholic acid
GDCA	Glycodeoxycholic acid	TDCA	Taurodeoxycholic acid
GCDCA	Glycochenodeoxycholic acid	TLCA	Taurolithocholic acid
GLCA	Glycolithocholic acid	TMCA	Tauromurocholic acid

Biogenic amines (9)			
beta-Ala	β -Alanine	Putrescine	Putrescine
GABA	γ -Aminobutyric acid	Serotonin	Serotonin
Dopamine	Dopamine	Spermidine	Spermidine
Histamine	Histamine	Spermine	Spermine
PEA	Phenylethylamine		

Carbohydrates and related (1)			
H1	Hexoses (including glucose)		

Carboxylic acids (7)			
AconAcid	Aconitic acid	OH-GlutAcid	3-Hydroxyglutaric acid
DiCA(12:0)	Dodecanedioic acid	Lac	Lactic acid
DiCA(14:0)	Tetradecanedioic acid	Suc	Succinic acid
HipAcid	Hippuric acid		

Cresols (1)			
p-Cresol-SO4	p-Cresol sulfate		

Fatty acids (12)			
FA(12:0)	Lauric acid	FA(20:1)	Eicosenoic acid
FA(14:0)	Myristic acid	FA(20:2)	Eicosadienoic acid
FA(16:0)	Palmitic acid	FA(20:3)	Eicosatrienoic acid
FA(18:0)	Stearic acid	AA	Arachidonic acid (FA(20:4 ω 6))
FA(18:1)	Octadecenoic acid	EPA	Eicosapentaenoic acid (FA(20:5 ω 3))
FA(18:2)	Octadecadienoic acid	DHA	Docosahexaenoid acid (FA(22:6 ω 3))

Hormones and related (4)			
AbsAcid	Abscisic acid	Cortisone	Cortisone
Cortisol	Cortisol	DHEAS	Dehydroepiandrosterone sulfate

Indoles and derivatives (4)			
Indole	Indole	3-IPA	3-Indolepropionic acid
3-IAA	3-Indoleacetic acid	Ind-SO4	Indoxyl sulfate

Nucleobases and related (2)			
Hypoxanthine	Hypoxanthine	Xanthine	Xanthine

Vitamins and cofactors (1)			
Choline	Choline		

Acylcarnitines (40)			
C0	Carnitine	C10:1	Decenoylcarnitine
C2	Acetylcarnitine	C10:2	Decadienoylcarnitine
C3	Propionylcarnitine	C12	Dodecanoylcarnitine
C3-DC (C4-OH)	Malonylcarnitine (Hydroxybutyrylcarnitine)	C12-DC	Dodecanedioylcarnitine
C3-OH	Hydroxypropionylcarnitine	C12:1	Dodecenoylcarnitine
C3:1	Propenoylcarnitine	C14	Tetradecanoylcarnitine
C4	Butyrylcarnitine	C14:1	Tetradecenoylcarnitine
C4:1	Butenylcarnitine	C14:1-OH	Hydroxytetradecenoylcarnitine
C5	Valerylcarnitine	C14:2	Tetradecadienoylcarnitine
C5-DC (C6-OH)	Glutaryl carnitine (Hydroxyhexanoylcarnitine)	C14:2-OH	Hydroxytetradecadienoyl- carnitine
C5-M-DC	Methylglutaryl carnitine	C16	Hexadecanoylcarnitine
C5-OH (C3-DC-M)	Hydroxyvaleryl carnitine (Methylmalonylcarnitine)	C16-OH	Hydroxyhexadecanoylcarnitine
C5:1	Tiglylcarnitine	C16:1	Hexadecenoylcarnitine
C5:1-DC	Glutaconylcarnitine	C16:1-OH	Hydroxyhexadecenoylcarnitine
C6 (C4:1-DC)	Hexanoylcarnitine (Fumaryl carnitine)	C16:2	Hexadecadienoylcarnitine
C6:1	Hexenoylcarnitine	C16:2-OH	Hydroxyhexadecadienoyl- carnitine
C7-DC	Pimeloylcarnitine	C18	Octadecanoylcarnitine
C8	Octanoylcarnitine	C18:1	Octadecenoylcarnitine
C9	Nonanoylcarnitine	C18:1-OH	Hydroxyoctadecenoylcarnitine
C10	Decanoylcarnitine	C18:2	Octadecadienylcarnitine



Lysophosphatidylcholines (14)

lysoPC a C14:0	lysoPC a C18:0	lysoPC a C20:4	lysoPC a C28:0
lysoPC a C16:0	lysoPC a C18:1	lysoPC a C24:0	lysoPC a C28:1
lysoPC a C16:1	lysoPC a C18:2	lysoPC a C26:0	
lysoPC a C17:0	lysoPC a C20:3	lysoPC a C26:1	

Phosphatidylcholines (76)

PC aa C24:0	PC aa C36:6	PC ae C30:0	PC ae C38:4
PC aa C26:0	PC aa C38:0	PC ae C30:1	PC ae C38:5
PC aa C28:1	PC aa C38:1	PC ae C30:2	PC ae C38:6
PC aa C30:0	PC aa C38:3	PC ae C32:1	PC ae C40:1
PC aa C30:2	PC aa C38:4	PC ae C32:2	PC ae C40:2
PC aa C32:0	PC aa C38:5	PC ae C34:0	PC ae C40:3
PC aa C32:1	PC aa C38:6	PC ae C34:1	PC ae C40:4
PC aa C32:2	PC aa C40:1	PC ae C34:2	PC ae C40:5
PC aa C32:3	PC aa C40:2	PC ae C34:3	PC ae C40:6
PC aa C34:1	PC aa C40:3	PC ae C36:0	PC ae C42:0
PC aa C34:2	PC aa C40:4	PC ae C36:1	PC ae C42:1
PC aa C34:3	PC aa C40:5	PC ae C36:2	PC ae C42:2
PC aa C34:4	PC aa C40:6	PC ae C36:3	PC ae C42:3
PC aa C36:0	PC aa C42:0	PC ae C36:4	PC ae C42:4
PC aa C36:1	PC aa C42:1	PC ae C36:5	PC ae C42:5
PC aa C36:2	PC aa C42:2	PC ae C38:0	PC ae C44:3
PC aa C36:3	PC aa C42:4	PC ae C38:1	PC ae C44:4
PC aa C36:4	PC aa C42:5	PC ae C38:2	PC ae C44:5
PC aa C36:5	PC aa C42:6	PC ae C38:3	PC ae C44:6

MxP® Quant 500 kit

Sphingomyelins (15)

SM (OH) C14:1	SM C18:0	SM (OH) C22:2	SM (OH) C24:1
SM C16:0	SM C18:1	SM C22:3	SM C26:0
SM C16:1	SM C20:2	SM C24:0	SM C26:1
SM (OH) C16:1	SM (OH) C22:1	SM C24:1	

Ceramides (28)

Cer(d16:1/18:0)	Cer(d18:1/18:0(OH))	Cer(d18:1/24:0)	Cer(d18:2/18:0)
Cer(d16:1/20:0)	Cer(d18:1/18:0)	Cer(d18:1/24:1)	Cer(d18:2/18:1)
Cer(d16:1/22:0)	Cer(d18:1/18:1)	Cer(d18:1/25:0)	Cer(d18:2/20:0)
Cer(d16:1/23:0)	Cer(d18:1/20:0(OH))	Cer(d18:1/26:0)	Cer(d18:2/22:0)
Cer(d16:1/24:0)	Cer(d18:1/20:0)	Cer(d18:1/26:1)	Cer(d18:2/23:0)
Cer(d18:1/14:0)	Cer(d18:1/22:0)	Cer(d18:2/14:0)	Cer(d18:2/24:0)
Cer(d18:1/16:0)	Cer(d18:1/23:0)	Cer(d18:2/16:0)	Cer(d18:2/24:1)



Dihydroceramides (8)

Cer(d18:0/18:0(OH))	Cer(d18:0/20:0)	Cer(d18:0/24:0)	Cer(d18:0/26:1(OH))
Cer(d18:0/18:0)	Cer(d18:0/22:0)	Cer(d18:0/24:1)	Cer(d18:0/26:1)

Hexosylceramides (19)

HexCer(d16:1/22:0)	HexCer(d18:1/18:1)	HexCer(d18:1/24:1)	HexCer(d18:2/20:0)
HexCer(d16:1/24:0)	HexCer(d18:1/20:0)	HexCer(d18:1/26:0)	HexCer(d18:2/22:0)
HexCer(d18:1/14:0)	HexCer(d18:1/22:0)	HexCer(d18:1/26:1)	HexCer(d18:2/23:0)
HexCer(d18:1/16:0)	HexCer(d18:1/23:0)	HexCer(d18:2/16:0)	HexCer(d18:2/24:0)
HexCer(d18:1/18:0)	HexCer(d18:1/24:0)	HexCer(d18:2/18:0)	

Dihexosylceramides (9)

Hex2Cer(d18:1/14:0)	Hex2Cer(d18:1/20:0)	Hex2Cer(d18:1/24:1)	
Hex2Cer(d18:1/16:0)	Hex2Cer(d18:1/22:0)	Hex2Cer(d18:1/26:0)	
Hex2Cer(d18:1/18:0)	Hex2Cer(d18:1/24:0)	Hex2Cer(d18:1/26:1)	

Trihexosylceramides (6)

Hex3Cer(d18:1/16:0)	Hex3Cer(d18:1/24:1)	Hex3Cer(d18:1/20:0)	
Hex3Cer(d18:1/18:0)	Hex3Cer(d18:1/26:1)	Hex3Cer(d18:1/22:0)	

Cholesteryl esters (22)

CE(14:0)	CE(17:0)	CE(20:0)	CE(22:1)
CE(14:1)	CE(17:1)	CE(20:1)	CE(22:2)
CE(15:0)	CE(18:0)	CE(20:3)	CE(22:5)
CE(15:1)	CE(18:1)	CE(20:4)	CE(22:6)
CE(16:0)	CE(18:2)	CE(20:5)	
CE(16:1)	CE(18:3)	CE(22:0)	

Diglycerides (44)

DG(14:0_14:0)	DG(16:0_20:3)	DG(18:1_18:2)	DG(18:2_18:3)
DG(14:0_18:1)	DG(16:0_20:4)	DG(18:1_18:3)	DG(18:2_18:4)
DG(14:0_18:2)	DG(16:1_18:0)	DG(18:1_18:4)	DG(18:2_20:0)
DG(14:0_20:0)	DG(16:1_18:1)	DG(18:1_20:0)	DG(18:2_20:4)
DG(14:1_18:1)	DG(16:1_18:2)	DG(18:1_20:1)	DG(18:3_18:3)
DG(14:1_20:2)	DG(16:1_20:0)	DG(18:1_20:2)	DG(18:3_20:2)
DG(16:0_16:0)	DG(17:0_17:1)	DG(18:1_20:3)	DG(21:0_22:6)
DG(16:0_16:1)	DG(17:0_18:1)	DG(18:1_20:4)	DG(22:1_22:2)
DG(16:0_18:1)	DG(18:0_20:0)	DG(18:1_22:5)	DG-O(14:0_18:2)
DG(16:0_18:2)	DG(18:0_20:4)	DG(18:1_22:6)	DG-O(16:0_18:1)
DG(16:0_20:0)	DG(18:1_18:1)	DG(18:2_18:2)	DG-O(16:0_20:4)



Triglycerides (242)			
TG(14:0_32:2)	TG(16:1_28:0)	TG(18:0_34:2)	TG(18:2_33:1)
TG(14:0_34:0)	TG(16:1_30:1)	TG(18:0_34:3)	TG(18:2_33:2)
TG(14:0_34:1)	TG(16:1_32:0)	TG(18:0_36:1)	TG(18:2_34:0)
TG(14:0_34:2)	TG(16:1_32:1)	TG(18:0_36:2)	TG(18:2_34:1)
TG(14:0_34:3)	TG(16:1_32:2)	TG(18:0_36:3)	TG(18:2_34:2)
TG(14:0_35:1)	TG(16:1_33:1)	TG(18:0_36:4)	TG(18:2_34:3)
TG(14:0_35:2)	TG(16:1_34:0)	TG(18:0_36:5)	TG(18:2_34:4)
TG(14:0_36:1)	TG(16:1_34:1)	TG(18:0_38:6)	TG(18:2_35:1)
TG(14:0_36:2)	TG(16:1_34:2)	TG(18:0_38:7)	TG(18:2_35:2)
TG(14:0_36:3)	TG(16:1_34:3)	TG(18:1_26:0)	TG(18:2_35:3)
TG(14:0_36:4)	TG(16:1_36:1)	TG(18:1_28:1)	TG(18:2_36:0)
TG(14:0_38:4)	TG(16:1_36:2)	TG(18:1_30:0)	TG(18:2_36:1)
TG(14:0_38:5)	TG(16:1_36:3)	TG(18:1_30:1)	TG(18:2_36:2)
TG(14:0_39:3)	TG(16:1_36:4)	TG(18:1_30:2)	TG(18:2_36:3)
TG(16:0_28:1)	TG(16:1_36:5)	TG(18:1_31:0)	TG(18:2_36:4)
TG(16:0_28:2)	TG(16:1_38:3)	TG(18:1_32:0)	TG(18:2_36:5)
TG(16:0_30:2)	TG(16:1_38:4)	TG(18:1_32:1)	TG(18:2_38:4)
TG(16:0_32:0)	TG(16:1_38:5)	TG(18:1_32:2)	TG(18:2_38:5)
TG(16:0_32:1)	TG(17:0_32:1)	TG(18:1_32:3)	TG(18:2_38:6)
TG(16:0_32:2)	TG(17:0_34:1)	TG(18:1_33:0)	TG(18:3_30:0)
TG(16:0_32:3)	TG(17:0_34:2)	TG(18:1_33:1)	TG(18:3_32:0)
TG(16:0_33:1)	TG(17:0_34:3)	TG(18:1_33:2)	TG(18:3_32:1)
TG(16:0_33:2)	TG(17:0_36:3)	TG(18:1_33:3)	TG(18:3_33:2)
TG(16:0_34:0)	TG(17:0_36:4)	TG(18:1_34:1)	TG(18:3_34:0)
TG(16:0_34:1)	TG(17:1_32:1)	TG(18:1_34:2)	TG(18:3_34:1)
TG(16:0_34:2)	TG(17:1_34:1)	TG(18:1_34:3)	TG(18:3_34:2)
TG(16:0_34:3)	TG(17:1_34:2)	TG(18:1_34:4)	TG(18:3_34:3)
TG(16:0_34:4)	TG(17:1_34:3)	TG(18:1_35:2)	TG(18:3_35:2)
TG(16:0_35:1)	TG(17:1_36:3)	TG(18:1_35:3)	TG(18:3_36:1)
TG(16:0_35:2)	TG(17:1_36:4)	TG(18:1_36:0)	TG(18:3_36:2)
TG(16:0_35:3)	TG(17:1_36:5)	TG(18:1_36:1)	TG(18:3_36:3)
TG(16:0_36:2)	TG(17:1_38:5)	TG(18:1_36:2)	TG(18:3_36:4)
TG(16:0_36:3)	TG(17:1_38:6)	TG(18:1_36:3)	TG(18:3_38:5)
TG(16:0_36:4)	TG(17:1_38:7)	TG(18:1_36:4)	TG(18:3_38:6)
TG(16:0_36:5)	TG(17:2_34:2)	TG(18:1_36:5)	TG(20:0_32:3)
TG(16:0_36:6)	TG(17:2_34:3)	TG(18:1_36:6)	TG(20:0_32:4)
TG(16:0_37:3)	TG(17:2_36:2)	TG(18:1_38:5)	TG(20:0_34:1)
TG(16:0_38:1)	TG(17:2_36:3)	TG(18:1_38:6)	TG(20:1_24:3)
TG(16:0_38:2)	TG(17:2_36:4)	TG(18:1_38:7)	TG(20:1_26:1)
TG(16:0_38:3)	TG(17:2_38:5)	TG(18:2_28:0)	TG(20:1_30:1)
TG(16:0_38:4)	TG(17:2_38:6)	TG(18:2_30:0)	TG(20:1_31:0)
TG(16:0_38:5)	TG(17:2_38:7)	TG(18:2_30:1)	TG(20:1_32:1)
TG(16:0_38:6)	TG(18:0_30:0)	TG(18:2_31:0)	TG(20:1_32:2)
TG(16:0_38:7)	TG(18:0_30:1)	TG(18:2_32:0)	TG(20:1_32:3)
TG(16:0_40:6)	TG(18:0_32:0)	TG(18:2_32:1)	TG(20:1_34:0)
TG(16:0_40:7)	TG(18:0_32:1)	TG(18:2_32:2)	TG(20:1_34:1)
TG(16:0_40:8)	TG(18:0_32:2)	TG(18:2_33:0)	TG(20:1_34:2)

MxP® Quant 500 kit

TG(20:1_34:3)	TG(20:3_34:3)	TG(20:4_36:2)	TG(22:4_32:2)
TG(20:2_32:0)	TG(20:3_36:3)	TG(20:4_36:3)	TG(22:4_34:2)
TG(20:2_32:1)	TG(20:3_36:4)	TG(20:4_36:4)	TG(22:5_32:0)
TG(20:2_34:1)	TG(20:3_36:5)	TG(20:4_36:5)	TG(22:5_32:1)
TG(20:2_34:2)	TG(20:4_30:0)	TG(20:5_34:0)	TG(22:5_34:1)
TG(20:2_34:3)	TG(20:4_32:0)	TG(20:5_34:1)	TG(22:5_34:2)
TG(20:2_34:4)	TG(20:4_32:1)	TG(20:5_34:2)	TG(22:5_34:3)
TG(20:2_36:5)	TG(20:4_32:2)	TG(20:5_36:2)	TG(22:6_32:0)
TG(20:3_32:0)	TG(20:4_33:2)	TG(20:5_36:3)	TG(22:6_32:1)
TG(20:3_32:1)	TG(20:4_34:0)	TG(22:0_32:4)	TG(22:6_34:1)
TG(20:3_32:2)	TG(20:4_34:1)	TG(22:1_32:5)	TG(22:6_34:2)
TG(20:3_34:0)	TG(20:4_34:2)	TG(22:2_32:4)	TG(22:6_34:3)
TG(20:3_34:1)	TG(20:4_34:3)	TG(22:3_30:2)	
TG(20:3_34:2)	TG(20:4_35:3)	TG(22:4_32:0)	

MxP® Quant 500 kit

AbsoluteIDQ® p400 HR kit

Amino acids (21)			
Ala	Alanine	Leu	Leucine
Arg	Arginine	Lys	Lysine
Asn	Asparagine	Met	Methionine
Asp	Aspartate	Phe	Phenylalanine
Cys	Cysteine	Pro	Proline
Glu	Glutamate	Ser	Serine
Gln	Glutamine	Thr	Threonine
Gly	Glycine	Trp	Tryptophan
His	Histidine	Tyr	Tyrosine
Ile	Isoleucine ⁵⁾	Val	Valine
xLeu	Leucine + isoleucine		

Biogenic amines (21)			
Ac-Orn	Acetylornithine	Met-SO	Methionine sulfoxide
alpha-AAA	alpha-Amino adipic acid	Nitro-Tyr	Nitrotyrosine
ADMA	Asymmetric dimethylarginine	PEA	Phenylethylamine
Carnosine	Carnosine	Putrescine	Putrescine
Creatinine	Creatinine	Sarcosine	Sarcosine
DOPA	Dihydroxyphenylalanine	Serotonin	Serotonin
Dopamine	Dopamine	Spermidine	Spermidine
Histamine	Histamine	Spermine	Spermine
c4-OH-Pro	<i>cis</i> -4-Hydroxyproline	SDMA	Symmetric dimethylarginine
t4-OH-Pro	<i>trans</i> -4-Hydroxyproline	Taurine	Taurine
Kynurenine	Kynurenine		

Monosaccharides (1)			
H1	Hexoses (including glucose)		

⁵⁾ Analyzed by additional LC-MS injection in parallel reaction monitoring (PRM) mode

Acylcarnitines (55)			
AC(0:0)	Carnitine	AC(10:2)	Decadienoylcarnitine
AC(2:0)	Acetylcarnitine	AC(10:3)	Decatrienoylcarnitine
AC(3:0)	Propionoylcarnitine	AC(11:0)	Dimethylnonanoylcarnitine
AC(3:0-DC)	Malonylcarnitine	AC(12:0)	Dodecanoylcarnitine
AC(3:0-OH)	Hydroxypropionoylcarnitine	AC(12:0-DC)	Dodecanedioylcarnitine
AC(3:1)	Propenoylcarnitine	AC(12:1)	Dodecenoylcarnitine
AC(4:0)	Butyrylcarnitine	AC(13:0)	Tridecanoylcarnitine
AC(4:0-DC)	Methylmalonylcarnitine	AC(14:0)	Tetradecanoylcarnitine
AC(4:0-OH)	Hydroxybutyrylcarnitine	AC(14:0-OH)	Hydroxymyristoylcarnitine
AC(4:1)	Butenylcarnitine	AC(14:1)	Tetradecenoylcarnitine
AC(4:1-DC)	Fumarylacarnitine	AC(14:1-DC)	Carboxytridecenoylcarnitine
AC(5:0)	Valerylcarnitine	AC(14:1-OH)	Hydroxytetradecenoylcarnitine
AC(5:0-DC)	Glutarylcarnitine	AC(14:2)	Tetradecadienoylcarnitine
AC(5:0-OH)	Hydroxyvalerylcarnitine	AC(14:2-OH)	Hydroxytetradecadienoyl-carnitine
AC(5:1)	Tiglylcarnitine	AC(15:0)	Pentadecanoylcarnitine
AC(5:1-DC)	Glutaconylcarnitine	AC(16:0)	Hexadecanoylcarnitine
AC(6:0)	Hexanoylcarnitine	AC(16:0-OH)	Hydroxyhexadecanoylcarnitine
AC(6:0-DC)	Adipoylcarnitine	AC(16:1)	Hexadecenoylcarnitine
AC(6:0-OH)	Hydroxyhexanoylcarnitine	AC(16:1-OH)	Hydroxyhexadecenoylcarnitine
AC(6:1)	Hexenoylcarnitine	AC(16:2)	Hexadecadienoylcarnitine
AC(7:0)	Heptanoylcarnitine	AC(16:2-OH)	Hydroxyhexadecadienoyl-carnitine
AC(7:0-DC)	Pimeloylcarnitine	AC(17:0)	Heptadecanoylcarnitine
AC(8:0)	Octanoylcarnitine	AC(18:0)	Octadecanoylcarnitine
AC(8:1)	Octenoylcarnitine	AC(18:1)	Octadecenoylcarnitine
AC(8:1-OH)	Hydroxyoctenoylcarnitine	AC(18:1-OH)	Hydroxyoctadecenoylcarnitine
AC(9:0)	Nonaylcarnitine	AC(18:2)	Octadecadienylcarnitine
AC(10:0)	Decanoylcarnitine	AC(19:0)	Nonadecanoylcarnitine
AC(10:1)	Decenoylcarnitine		

Lysophosphatidylcholines (24)			
LPC(12:0)	LPC(17:1)	LPC(20:2)	LPC(24:1)
LPC(14:0)	LPC(18:0)	LPC(20:3)	LPC-O(16:1)
LPC(15:0)	LPC(18:1)	LPC(20:4)	LPC-O(17:1)
LPC(16:0)	LPC(18:2)	LPC(22:5)	LPC-O(18:0)
LPC(16:1)	LPC(20:0)	LPC(22:6)	LPC-O(18:1)
LPC(17:0)	LPC(20:1)	LPC(24:0)	LPC-O(18:2)

AbsoluteIDQ® p400 HR kit



Phosphatidylcholines (172)			
PC(24:0)	PC(36:1)	PC(41:5)	PC-O(34:0)
PC(25:0)	PC(36:2)	PC(41:8)	PC-O(34:1)
PC(26:0)	PC(36:3)	PC(42:0)	PC-O(34:2)
PC(27:0)	PC(36:4)	PC(42:1)	PC-O(34:3)
PC(27:1)	PC(36:5)	PC(42:2)	PC-O(34:4)
PC(28:1)	PC(36:6)	PC(42:3)	PC-O(35:3)
PC(29:0)	PC(37:0)	PC(42:4)	PC-O(35:4)
PC(29:1)	PC(37:1)	PC(42:5)	PC-O(36:0)
PC(29:2)	PC(37:2)	PC(42:6)	PC-O(36:1)
PC(30:0)	PC(37:3)	PC(42:7)	PC-O(36:2)
PC(30:1)	PC(37:4)	PC(42:10)	PC-O(36:3)
PC(30:2)	PC(37:5)	PC(43:2)	PC-O(36:4)
PC(30:3)	PC(37:6)	PC(43:6)	PC-O(36:5)
PC(31:0)	PC(37:7)	PC(44:1)	PC-O(36:6)
PC(31:1)	PC(38:0)	PC(44:3)	PC-O(37:6)
PC(31:2)	PC(38:1)	PC(44:5)	PC-O(37:7)
PC(31:3)	PC(38:2)	PC(44:6)	PC-O(38:0)
PC(32:0)	PC(38:3)	PC(44:7)	PC-O(38:1)
PC(32:1)	PC(38:4)	PC(44:10)	PC-O(38:2)
PC(32:2)	PC(38:5)	PC(44:12)	PC-O(38:3)
PC(32:3)	PC(38:6)	PC(46:1)	PC-O(38:4)
PC(32:4)	PC(38:7)	PC(46:2)	PC-O(38:5)
PC(32:5)	PC(39:0)	PC-O(26:0)	PC-O(38:6)
PC(32:6)	PC(39:1)	PC-O(26:1)	PC-O(40:0)
PC(33:0)	PC(39:2)	PC-O(28:0)	PC-O(40:1)
PC(33:1)	PC(39:3)	PC-O(28:1)	PC-O(40:2)
PC(33:2)	PC(39:4)	PC-O(29:0)	PC-O(40:3)
PC(33:3)	PC(39:5)	PC-O(30:0)	PC-O(40:4)
PC(33:4)	PC(39:6)	PC-O(30:1)	PC-O(40:5)
PC(33:5)	PC(39:7)	PC-O(30:2)	PC-O(40:6)
PC(34:0)	PC(40:1)	PC-O(31:0)	PC-O(40:7)
PC(34:1)	PC(40:2)	PC-O(31:1)	PC-O(40:8)
PC(34:2)	PC(40:3)	PC-O(31:3)	PC-O(42:0)
PC(34:3)	PC(40:4)	PC-O(32:0)	PC-O(42:1)
PC(34:4)	PC(40:5)	PC-O(32:1)	PC-O(42:2)
PC(34:5)	PC(40:6)	PC-O(32:2)	PC-O(42:3)
PC(35:0)	PC(40:7)	PC-O(32:3)	PC-O(42:4)
PC(35:1)	PC(40:8)	PC-O(33:0)	PC-O(42:5)
PC(35:2)	PC(40:9)	PC-O(33:1)	PC-O(42:6)
PC(35:3)	PC(41:1)	PC-O(33:2)	PC-O(44:3)
PC(35:4)	PC(41:2)	PC-O(33:3)	PC-O(44:4)
PC(35:5)	PC(41:3)	PC-O(33:4)	PC-O(44:5)
PC(36:0)	PC(41:4)	PC-O(33:6)	PC-O(44:6)

AbsoluteIDQ® p400 HR kit

Sphingomyelins (31)

SM(30:1)	SM(34:2)	SM(38:3)	SM(42:1)
SM(31:0)	SM(35:1)	SM(39:1)	SM(42:2)
SM(31:1)	SM(36:0)	SM(39:2)	SM(42:3)
SM(32:1)	SM(36:1)	SM(40:1)	SM(43:1)
SM(32:2)	SM(36:2)	SM(40:2)	SM(43:2)
SM(33:1)	SM(37:1)	SM(40:4)	SM(44:1)
SM(33:2)	SM(38:1)	SM(41:1)	SM(44:2)
SM(34:1)	SM(38:2)	SM(41:2)	

Ceramides (9)

Cer(34:0)	Cer(40:1)	Cer(42:2)	
Cer(34:1)	Cer(41:1)	Cer(43:1)	
Cer(38:1)	Cer(42:1)	Cer(44:0)	

Cholesteryl esters (14)

CE(16:0)	CE(17:2)	CE(19:2)	CE(22:5)
CE(16:1)	CE(18:1)	CE(19:3)	CE(22:6)
CE(17:0)	CE(18:2)	CE(20:4)	
CE(17:1)	CE(18:3)	CE(20:5)	

Diglycerides (18)

DG(32:1)	DG(36:3)	DG(41:1)	DG-O(32:2)
DG(32:2)	DG(36:4)	DG(42:0)	DG-O(34:1)
DG(34:1)	DG(38:0)	DG(42:1)	DG-O(36:4)
DG(34:3)	DG(38:5)	DG(42:2)	
DG(36:2)	DG(39:0)	DG(44:3)	

Triglycerides (42)

TG(44:1)	TG(50:3)	TG(52:6)	TG(54:7)
TG(44:2)	TG(50:4)	TG(52:7)	TG(55:6)
TG(44:4)	TG(51:1)	TG(53:3)	TG(55:7)
TG(46:2)	TG(51:2)	TG(53:4)	TG(55:8)
TG(48:1)	TG(51:3)	TG(53:5)	TG(55:9)
TG(48:2)	TG(51:4)	TG(53:6)	TG(56:6)
TG(48:3)	TG(51:5)	TG(54:2)	TG(56:7)
TG(49:1)	TG(52:2)	TG(54:3)	TG(56:8)
TG(49:2)	TG(52:3)	TG(54:4)	TG(56:9)
TG(50:1)	TG(52:4)	TG(54:5)	
TG(50:2)	TG(52:5)	TG(54:6)	

MxP® Quant HR Xpress kit

Amino acids (20)			
Ala	Alanine	Lys	Lysine
Arg	Arginine	Met	Methionine
Asn	Asparagine	Orn	Ornithine
Asp	Aspartate	Phe	Phenylalanine
Cit	Citrulline	Pro	Proline
Glu	Glutamate	Ser	Serine
Gln	Glutamine	Thr	Threonine
Gly	Glycine	Trp	Tryptophan
His	Histidine	Tyr	Tyrosine
xLeu	Leucine + isoleucine	Val	Valine

Biogenic amines (21)			
Ac-Orn	Acetylornithine	Met-SO	Methionine sulfoxide
alpha-AAA	alpha-Aminoadipic acid	Nitro-Tyr	Nitrotyrosine
ADMA	Asymmetric dimethylarginine	PEA	Phenylethylamine
Carnosine	Carnosine	Putrescine	Putrescine
Creatinine	Creatinine	Sarcosine	Sarcosine
DOPA	Dihydroxyphenylalanine	Serotonin	Serotonin
Dopamine	Dopamine	Spermidine	Spermidine
Histamine	Histamine	Spermine	Spermine
c4-OH-Pro	<i>cis</i> -4-Hydroxyproline	SDMA	Symmetric dimethylarginine
t4-OH-Pro	<i>trans</i> -4-Hydroxyproline	Taurine	Taurine
Kynurenine	Kynurenine		

Monosaccharides (1)			
H1	Hexoses (including glucose)		

Acylcarnitines (11)			
AC(0:0)	Carnitine	AC(4:0)	Butyrylcarnitine
AC(2:0)	Acetylcarnitine	AC(4:0-OH)	Hydroxybutyrylcarnitine
AC(3:0)	Propionoylcarnitine	AC(4:1)	Butenylcarnitine
AC(3:0-DC)	Malonylcarnitine	AC(5:0)	Valerylcarnitine
AC(3:0-OH)	Hydroxypropionoylcarnitine	AC(5:1)	Tiglylcarnitine
AC(3:1)	Propenoylcarnitine		

Phosphatidylcholines (172)			
PC(24:0)	PC(36:1)	PC(41:5)	PC-O(34:0)
PC(25:0)	PC(36:2)	PC(41:8)	PC-O(34:1)
PC(26:0)	PC(36:3)	PC(42:0)	PC-O(34:2)
PC(27:0)	PC(36:4)	PC(42:1)	PC-O(34:3)
PC(27:1)	PC(36:5)	PC(42:2)	PC-O(34:4)
PC(28:1)	PC(36:6)	PC(42:3)	PC-O(35:3)
PC(29:0)	PC(37:0)	PC(42:4)	PC-O(35:4)
PC(29:1)	PC(37:1)	PC(42:5)	PC-O(36:0)
PC(29:2)	PC(37:2)	PC(42:6)	PC-O(36:1)
PC(30:0)	PC(37:3)	PC(42:7)	PC-O(36:2)
PC(30:1)	PC(37:4)	PC(42:10)	PC-O(36:3)
PC(30:2)	PC(37:5)	PC(43:2)	PC-O(36:4)
PC(30:3)	PC(37:6)	PC(43:6)	PC-O(36:5)
PC(31:0)	PC(37:7)	PC(44:1)	PC-O(36:6)
PC(31:1)	PC(38:0)	PC(44:3)	PC-O(37:6)
PC(31:2)	PC(38:1)	PC(44:5)	PC-O(37:7)
PC(31:3)	PC(38:2)	PC(44:6)	PC-O(38:0)
PC(32:0)	PC(38:3)	PC(44:7)	PC-O(38:1)
PC(32:1)	PC(38:4)	PC(44:10)	PC-O(38:2)
PC(32:2)	PC(38:5)	PC(44:12)	PC-O(38:3)
PC(32:3)	PC(38:6)	PC(46:1)	PC-O(38:4)
PC(32:4)	PC(38:7)	PC(46:2)	PC-O(38:5)
PC(32:5)	PC(39:0)	PC-O(26:0)	PC-O(38:6)
PC(32:6)	PC(39:1)	PC-O(26:1)	PC-O(40:0)
PC(33:0)	PC(39:2)	PC-O(28:0)	PC-O(40:1)
PC(33:1)	PC(39:3)	PC-O(28:1)	PC-O(40:2)
PC(33:2)	PC(39:4)	PC-O(29:0)	PC-O(40:3)
PC(33:3)	PC(39:5)	PC-O(30:0)	PC-O(40:4)
PC(33:4)	PC(39:6)	PC-O(30:1)	PC-O(40:5)
PC(33:5)	PC(39:7)	PC-O(30:2)	PC-O(40:6)
PC(34:0)	PC(40:1)	PC-O(31:0)	PC-O(40:7)
PC(34:1)	PC(40:2)	PC-O(31:1)	PC-O(40:8)
PC(34:2)	PC(40:3)	PC-O(31:3)	PC-O(42:0)
PC(34:3)	PC(40:4)	PC-O(32:0)	PC-O(42:1)
PC(34:4)	PC(40:5)	PC-O(32:1)	PC-O(42:2)
PC(34:5)	PC(40:6)	PC-O(32:2)	PC-O(42:3)
PC(35:0)	PC(40:7)	PC-O(32:3)	PC-O(42:4)
PC(35:1)	PC(40:8)	PC-O(33:0)	PC-O(42:5)
PC(35:2)	PC(40:9)	PC-O(33:1)	PC-O(42:6)
PC(35:3)	PC(41:1)	PC-O(33:2)	PC-O(44:3)
PC(35:4)	PC(41:2)	PC-O(33:3)	PC-O(44:4)
PC(35:5)	PC(41:3)	PC-O(33:4)	PC-O(44:5)
PC(36:0)	PC(41:4)	PC-O(33:6)	PC-O(44:6)

MxP® Quant HR Xpress kit



Lysophosphatidylcholines (24)

LPC(12:0)	LPC(17:1)	LPC(20:2)	LPC(24:1)
LPC(14:0)	LPC(18:0)	LPC(20:3)	LPC-O(16:1)
LPC(15:0)	LPC(18:1)	LPC(20:4)	LPC-O(17:1)
LPC(16:0)	LPC(18:2)	LPC(22:5)	LPC-O(18:0)
LPC(16:1)	LPC(20:0)	LPC(22:6)	LPC-O(18:1)
LPC(17:0)	LPC(20:1)	LPC(24:0)	LPC-O(18:2)

Sphingomyelins (31)

SM(30:1)	SM(34:2)	SM(38:3)	SM(42:1)
SM(31:0)	SM(35:1)	SM(39:1)	SM(42:2)
SM(31:1)	SM(36:0)	SM(39:2)	SM(42:3)
SM(32:1)	SM(36:1)	SM(40:1)	SM(43:1)
SM(32:2)	SM(36:2)	SM(40:2)	SM(43:2)
SM(33:1)	SM(37:1)	SM(40:4)	SM(44:1)
SM(33:2)	SM(38:1)	SM(41:1)	SM(44:2)
SM(34:1)	SM(38:2)	SM(41:2)	

Ceramides (9)

Cer(34:0)	Cer(40:1)	Cer(42:2)	
Cer(34:1)	Cer(41:1)	Cer(43:1)	
Cer(38:1)	Cer(42:1)	Cer(44:0)	

Cholesteryl esters (14)

CE(16:0)	CE(17:2)	CE(19:2)	CE(22:5)
CE(16:1)	CE(18:1)	CE(19:3)	CE(22:6)
CE(17:0)	CE(18:2)	CE(20:4)	
CE(17:1)	CE(18:3)	CE(20:5)	

Diglycerides (18)

DG(32:1)	DG(36:3)	DG(41:1)	DG-O(32:2)
DG(32:2)	DG(36:4)	DG(42:0)	DG-O(34:1)
DG(34:1)	DG(38:0)	DG(42:1)	DG-O(36:4)
DG(34:3)	DG(38:5)	DG(42:2)	
DG(36:2)	DG(39:0)	DG(44:3)	

Triglycerides (42)			
TG(44:1)	TG(50:3)	TG(52:6)	TG(54:7)
TG(44:2)	TG(50:4)	TG(52:7)	TG(55:6)
TG(44:4)	TG(51:1)	TG(53:3)	TG(55:7)
TG(46:2)	TG(51:2)	TG(53:4)	TG(55:8)
TG(48:1)	TG(51:3)	TG(53:5)	TG(55:9)
TG(48:2)	TG(51:4)	TG(53:6)	TG(56:6)
TG(48:3)	TG(51:5)	TG(54:2)	TG(56:7)
TG(49:1)	TG(52:2)	TG(54:3)	TG(56:8)
TG(49:2)	TG(52:3)	TG(54:4)	TG(56:9)
TG(50:1)	TG(52:4)	TG(54:5)	
TG(50:2)	TG(52:5)	TG(54:6)	

MxP® Quant HR Xpress kit

AbsoluteIDQ® p180 kit

Amino acids (21)			
Ala	Alanine	Lys	Lysine
Arg	Arginine	Met	Methionine
Asn	Asparagine	Orn	Ornithine
Asp	Aspartate	Phe	Phenylalanine
Cit	Citrulline	Pro	Proline
Glu	Glutamate	Ser	Serine
Gln	Glutamine	Thr	Threonine
Gly	Glycine	Trp	Tryptophan
His	Histidine	Tyr	Tyrosine
Ile	Isoleucine	Val	Valine
Leu	Leucine		

Biogenic amines (21)			
Ac-Orn	Acetylornithine	Met-SO	Methionine sulfoxide
alpha-AAA	alpha-Amino adipic acid	Nitro-Tyr ⁶⁾	Nitrotyrosine
ADMA	Asymmetric dimethylarginine	PEA	Phenylethylamine
Carnosine	Carnosine	Putrescine	Putrescine
Creatinine	Creatinine	Sarcosine	Sarcosine
DOPA	Dihydroxyphenylalanine	Serotonin	Serotonin
Dopamine	Dopamine	Spermidine	Spermidine
Histamine	Histamine	Spermine	Spermine
c4-OH-Pro	<i>cis</i> -4-Hydroxyproline	SDMA	Symmetric dimethylarginine
t4-OH-Pro	<i>trans</i> -4-Hydroxyproline	Taurine	Taurine
Kynurenine	Kynurenine		

Monosaccharides (1)			
H1	Hexoses (including glucose)		

⁶⁾ SCIEX / Waters only

Acylcarnitines (40)			
C0	Carnitine	C10:1	Decenoylcarnitine
C2	Acetylcarnitine	C10:2	Decadienylcarnitine
C3	Propionylcarnitine	C12	Dodecanoylcarnitine
C3:1	Propenoylcarnitine	C12:1	Dodecenoylcarnitine
C3-OH	Hydroxypropionylcarnitine	C12-DC	Dodecanedioylcarnitine
C4	Butyrylcarnitine	C14	Tetradecanoylcarnitine
C4:1	Butenoylcarnitine	C14:1	Tetradecenoylcarnitine
C4-OH (C3-DC)	Hydroxybutyrylcarnitine	C14:1-OH	Hydroxytetradecenoylcarnitine
C5	Valerylcarnitine	C14:2	Tetradecadienylcarnitine
C5:1	Tiglylcarnitine	C14:2-OH	Hydroxytetradecadienylcarnitine
C5:1-DC	Glutaconylcarnitine	C16	Hexadecanoylcarnitine
C5-DC (C6-OH)	Glutaryl carnitine (Hydroxyhexanoylcarnitine)	C16:1	Hexadecenoylcarnitine
C5-M-DC	Methylglutaryl carnitine	C16:1-OH	Hydroxyhexadecenoylcarnitine
C5-OH (C3-DC-M)	Hydroxyvalerylcarnitine (Methylmalonylcarnitine)	C16:2	Hexadecadienylcarnitine
C6 (C4:1-DC)	Hexanoylcarnitine (Fumaryl carnitine)	C16:2-OH	Hydroxyhexadecadienylcarnitine
C6:1	Hexenoylcarnitine	C16-OH	Hydroxyhexadecanoylcarnitine
C7-DC	Pimelylcarnitine	C18	Octadecanoylcarnitine
C8	Octanoylcarnitine	C18:1	Octadecenoylcarnitine
C9	Nonanoylcarnitine	C18:1-OH	Hydroxyoctadecenoylcarnitine
C10	Decanoylcarnitine	C18:2	Octadecadienylcarnitine
C10:1	Decenoylcarnitine	C14:2-OH	Hydroxytetradecadienylcarnitine
C10:2	Decadienylcarnitine	C16	Hexadecanoylcarnitine
C12	Dodecanoylcarnitine	C16:1	Hexadecenoylcarnitine
C12:1	Dodecenoylcarnitine	C16:1-OH	Hydroxyhexadecenoylcarnitine
C12-DC	Dodecanedioylcarnitine	C16:2	Hexadecadienylcarnitine
C14	Tetradecanoylcarnitine	C16:2-OH	Hydroxyhexadecadienylcarnitine
C14:1	Tetradecenoylcarnitine	C16-OH	Hydroxyhexadecanoylcarnitine
C14:1-OH	Hydroxytetradecenoylcarnitine	C18	Octadecanoylcarnitine
C14:2	Tetradecadienylcarnitine	C18:1	Octadecenoylcarnitine
C9	Nonanoylcarnitine	C18:1-OH	Hydroxyoctadecenoylcarnitine
C10	Decanoylcarnitine	C18:2	Octadecadienylcarnitine

AbsoluteIDQ® p180 kit

Glycerophospholipids (90)			
lysoPC a C14:0	PC aa C34:1	PC aa C42:0	PC ae C38:2
lysoPC a C16:0	PC aa C34:2	PC aa C42:1	PC ae C38:3
lysoPC a C16:1	PC aa C34:3	PC aa C42:2	PC ae C38:4
lysoPC a C17:0	PC aa C34:4	PC aa C42:4	PC ae C38:5
lysoPC a C18:0	PC aa C36:0	PC aa C42:5	PC ae C38:6
lysoPC a C18:1	PC aa C36:1	PC aa C42:6	PC ae C40:1
lysoPC a C18:2	PC aa C36:2	PC ae C30:0	PC ae C40:2
lysoPC a C20:3	PC aa C36:3	PC ae C30:1	PC ae C40:3
lysoPC a C20:4	PC aa C36:4	PC ae C30:2	PC ae C40:4
lysoPC a C24:0	PC aa C36:5	PC ae C32:1	PC ae C40:5
lysoPC a C26:0	PC aa C36:6	PC ae C32:2	PC ae C40:6
lysoPC a C26:1	PC aa C38:0	PC ae C34:0	PC ae C42:0
lysoPC a C28:0	PC aa C38:1 ⁷⁾	PC ae C34:1	PC ae C42:1
lysoPC a C28:1	PC aa C38:3	PC ae C34:2	PC ae C42:2
PC aa C24:0	PC aa C38:4	PC ae C34:3	PC ae C42:3
PC aa C26:0	PC aa C38:5	PC ae C36:0	PC ae C42:4
PC aa C28:1	PC aa C38:6	PC ae C36:1	PC ae C42:5
PC aa C30:0	PC aa C40:1	PC ae C36:2	PC ae C44:3
PC aa C30:2 ⁷⁾	PC aa C40:2	PC ae C36:3	PC ae C44:4
PC aa C32:0	PC aa C40:3	PC ae C36:4	PC ae C44:5
PC aa C32:1	PC aa C40:4	PC ae C36:5	PC ae C44:6
PC aa C32:2	PC aa C40:5	PC ae C38:0	
PC aa C32:3	PC aa C40:6	PC ae C38:1	

 AbsoluteIDQ[®] p180 kit

Sphingolipids (15)			
SM (OH) C14:1	SM C18:0	SM (OH) C22:1	SM (OH) C24:1
SM C16:0	SM C18:1	SM (OH) C22:2	SM C26:0
SM C16:1	SM C20:2	SM C24:0	SM C26:1
SM (OH) C16:1	SM C22:3 ⁷⁾	SM C24:1	

⁷⁾ SCIEX only

AbsoluteIDQ® Bile acids kit

Bile acids (20)			
CDCA	Chenodeoxycholic acid	MCA α	alpha-Muricholic acid
CA	Cholic acid	MCA β	beta-Muricholic acid
DCA	Deoxycholic acid	MCA ω	omega-Muricholic acid
GCDCA	Glycochenodeoxycholic acid	TCDCA	Taurochenodeoxycholic acid
GCA	Glycocholic acid	TCA	Taurocholic acid
GDCA	Glycodeoxycholic acid	TDCA	Taurodeoxycholic acid
GLCA	Glycolithocholic acid	TLCA	Tauroolithocholic acid
GUDCA	Glycoursodeoxycholic acid	TMCA α/β	Tauromuricholic acid (sum of alpha and beta)
HDCA	Hyodeoxycholic acid	TUDCA	Tauroursodeoxycholic acid
LCA	Lithocholic acid	UDCA	Ursodeoxycholic acid

AbsoluteIDQ® Stero17 kit

Steroid hormones (17)	
Aldosterone	11-Deoxycortisol
Androstenedione	Dihydrotestosterone (DHT)
Androsterone	β -Estradiol (E2)
Corticosterone	Estrone (E1)
Cortisol	Etiocholanolone
Cortisone	17 α -Hydroxyprogesterone
Dehydroepiandrosterone (DHEA)	Progesterone
Dehydroepiandrosterone-sulfate (DHEA-S)	Testosterone
11-Deoxycorticosterone	

Acylcarnitine assay

Acylcarnitines (44)			
C0	Carnitine	C8-DC	Subarylcarnitine
C2	Acetylcarnitine	<i>trans</i> -2-C8:1	<i>trans</i> -2-Octenoylcarnitine
C3	Propionylcarnitine	C10	Decanoylcarnitine
C3-DC	Malonylcarnitine	C10-DC	Sebarylcarnitine
C3-M-DC	Methylmalonylcarnitine	<i>trans</i> -2-C10:1	<i>trans</i> -2-Decenoylcarnitine
C4	Butyrylcarnitine	C12	Dodecanoylcarnitine
Iso-C4	Isobutyrylcarnitine	C12-OH	Hydroxydodecanoylcarnitine
C4-DC	Succinylcarnitine	<i>trans</i> -2-C12:1	<i>trans</i> -2-Dodecenoylcarnitine
C4-OH	Hydroxybutyrylcarnitine	C14	Tetradecanoylcarnitine
C4-M	2-Methylbutyrylcarnitine	<i>trans</i> -2-C14:1	<i>trans</i> -2-Tetradecenoylcarnitine
C4:1-M	3-Methylcrotonylcarnitine	C14:2	Tetradecadienylcarnitine
C5	Valerylcarnitine	C16	Hexadecanoylcarnitine
Iso-C5	Isovalerylcarnitine	C16-OH	Hydroxyhexadecanoylcarnitine
Iso-C5-OH	Hydroxyisovalerylcarnitine	<i>cis</i> -9-C16:1	<i>cis</i> -9-Hexadecenoylcarnitine
C5-DC	Glutarylacarnitine	<i>trans</i> -2-C16:1	<i>trans</i> -2-Hexadecenoylcarnitine
C5-M-DC	Methylglutarylacarnitine	C16:1-OH	Hydroxyhexadecenoylcarnitine
C5-P	Pivaloylcarnitine	C18	Octadecanoylcarnitine
C5:1	Tiglylcarnitine	C18-OH	Hydroxyoctadecanoylcarnitine
C6	Hexanoylcarnitine	<i>cis</i> -9-C18:1	<i>cis</i> -9-Octadecenoylcarnitine
C6-DC	Adipoylcarnitine	C18:1-OH	Hydroxyoctadecenoylcarnitine
C6-OH	Hydroxyhexanoylcarnitine	C18:2	Octadecadienylcarnitine
C8	Octanoylcarnitine	C20:4	Arachidonoylcarnitine

Eicosanoid assay

Eicosanoids and other oxidation products of polyunsaturated fatty acids (PUFAs) (17)	
Arachidonic acid (AA, ω 6-FA(20:4))	Prostaglandin D2
Docosahexaenoic acid (DHA, ω 3-FA(22:6))	Prostaglandin E2
14(15)-Epoxyeicosatetraenoic acid (14(15)-EpETE)	tetranor-Prostaglandin E metabolite
12-Hydroxyeicosatetraenoic acid (12-HETE)	6-keto-Prostaglandin F1 α
15-Hydroxyeicosatetraenoic acid (15-HETE)	Prostaglandin F2 α
9-Hydroxyoctadecadienoic acid (9-HODE)	8-iso-Prostaglandin F2 α
13-Hydroxyoctadecadienoic acid (13-HODE)	15-deoxy-Prostaglandin J2
Leukotriene B4	Thromboxane B2
Leukotriene D4	

Energy metabolism assay

Core intermediates of energy metabolism (13)	
Citric acid	α -Ketoglutaric acid
Fumaric acid	Lactic acid
Glucose	Malic acid
2-Hydroxybutyric acid	Pyruvic acid
3-Hydroxybutyric acid	Ribose
2-Hydroxyglutaric acid	Succinic acid
Isocitric acid	

Amino acids (8)	
Alanine	Glutamate
Arginine	Glutamine
Asparagine	Glycine
Aspartate	Serine

Fatty acid assay (total/free)

Fatty acids (31/32)			
C12:0	Lauric acid	C19:0	Nonadecanoic acid
C13:0	Tridecanoic acid	C20:0	Arachidic acid (Eicosanoic acid)
C14:0	Myristic acid	<i>cis</i> -C20:1 ω 9	Eicosenoic acid
<i>cis</i> -C14:1 ω 5	Myristoleic acid	<i>cis</i> -C20:2 ω 6	Eicosadienoic acid
C15:0	Pentadecanoic acid	<i>cis</i> -C20:3 ω 6	Eicosatrienoic acid
C16:0	Palmitic acid	<i>cis</i> -C20:4 ω 6	Arachidonic acid (AA)
<i>cis</i> -C16:1 ω 7	Palmitoleic acid	<i>cis</i> -C20:5 ω 3	Eicosapentaenoic acid (EPA)
<i>cis</i> -C16:1 ω 10	Sapienic acid	C21:0	Heneicosanoic acid
C17:0	Heptadecanoic acid	C22:0	Behenic acid
C18:0	Stearic acid	<i>cis</i> -C22:1 ω 9 ⁸⁾	Erucic acid
<i>cis</i> -C18:1 ω 7	Vaccenic acid	<i>cis</i> -C22:4 ω 6	Adrenic acid (Docosatetraenoic acid)
<i>cis</i> -C18:1 ω 9	Oleic acid	<i>cis</i> -C22:5 ω 3	Docosapentaenoic acid (DPA)
<i>cis</i> -C18:2 ω 6	Linoleic acid	<i>cis</i> -C22:6 ω 3	Docosahexaenoic acid (DHA)
<i>cis</i> -C18:3 ω 3	Linolenic acid	C23:0	Tricosanoic acid
<i>cis</i> -C18:3 ω 6	γ -Linolenic acid	C24:0	Lignoceric acid
<i>cis</i> -C18:4 ω 3	Stearidonic acid	<i>cis</i> -C24:1 ω 9	Nervonic acid

⁸⁾ Free fatty acids assay only

Lipid assay

Glycerophospholipids (162)			
Lysophosphatidylcholines (acyl or ether bond) (6)		Phosphatidylglycerols (acyl/ether bonds) ⁹⁾ (4)	
LPC a C16:0	LPC a C18:2	PG ae C32:0	PG ae C34:1
LPC a C18:0	LPC a C20:4	PG ae C34:0	PG ae C36:1
LPC a C18:1	LPC e C18:0	Lysophosphatidylethanolamines (acyl or ether bond) ⁹⁾ (9)	
Phosphatidylcholines (diacyl bonds) (27)		LPE a C16:0	LPE a C22:4
PC aa C30:0	PC aa C36:4	LPE a C22:5	LPE a C22:5
PC aa C30:1	PC aa C36:5	LPE a C22:6	LPE a C22:6
PC aa C30:2	PC aa C38:1	LPE e C18:0	LPE e C18:0
PC aa C32:0	PC aa C38:2	LPE a C20:4	
PC aa C32:1	PC aa C38:3	Phosphatidylethanolamines (diacyl bonds) ⁹⁾ (30)	
PC aa C32:2	PC aa C38:4	PE aa C20:0	PE aa C38:0
PC aa C34:0	PC aa C38:5	PE aa C22:2	PE aa C38:1
PC aa C34:1	PC aa C38:6	PE aa C26:4	PE aa C38:2
PC aa C34:2	PC aa C40:4	PE aa C28:4	PE aa C38:3
PC aa C34:3	PC aa C40:5	PE aa C28:5	PE aa C38:4
PC aa C36:0	PC aa C40:6	PE aa C34:0	PE aa C38:5
PC aa C36:1	PC aa C40:7	PE aa C34:1	PE aa C38:6
PC aa C36:2	PC aa C40:8	PE aa C34:2	PE aa C38:7
PC aa C36:3		PE aa C34:3	PE aa C40:2
Phosphatidylcholines (acyl/ether bonds) (20)		PE aa C36:0	PE aa C40:3
PC ae C32:0	PC ae C36:3	PE aa C36:1	PE aa C40:4
PC ae C32:1	PC ae C36:4	PE aa C36:2	PE aa C40:5
PC ae C32:6	PC ae C36:5	PE aa C36:3	PE aa C40:6
PC ae C34:0	PC ae C38:1	PE aa C36:4	PE aa C40:7
PC ae C34:1	PC ae C38:2	PE aa C36:5	PE aa C48:1
PC ae C34:2	PC ae C38:3	Phosphatidylethanolamines (acyl/ethyl bonds) ⁹⁾ (24)	
PC ae C34:3	PC ae C38:4	PE ae C34:1	PE ae C38:5
PC ae C34:6	PC ae C38:5	PE ae C34:2	PE ae C38:6
PC ae C36:1	PC ae C38:6	PE ae C34:3	PE ae C40:1
PC ae C36:2	PC ae C40:5	PE ae C36:1	PE ae C40:2
Lysophosphatidylglycerols (ether bond) ⁹⁾ (1)		PE ae C36:2	PE ae C40:3
LPG e C14:2		PE ae C36:3	PE ae C40:4
Phosphatidylglycerols (diacyl bonds) ⁹⁾ (14)		PE ae C36:4	PE ae C40:5
PG aa C30:0	PG aa C34:3	PE ae C36:5	PE ae C40:6
PG aa C32:0	PG aa C36:0	PE ae C38:1	PE ae C42:1
PG aa C32:1	PG aa C36:1	PE ae C38:2	PE ae C42:2
PG aa C33:6	PG aa C36:2	PE ae C38:3	PE ae C46:5
PG aa C34:0	PG aa C36:3	PE ae C38:4	PE ae C46:6
PG aa C34:1	PG aa C36:4		
PG aa C34:2	PG aa C38:5		

⁹⁾ Partial lipid assay

Phosphatidylserines (diacyl bonds) ⁹⁾ (23)		Phosphatidylserines (acyl/ether bonds) ⁹⁾ (4)	
PS aa C34:1	PS aa C40:1	PS ae C34:2	PS ae C36:2
PS aa C34:2	PS aa C40:2	PS ae C36:1	PS ae C38:4
PS aa C36:0	PS aa C40:3		
PS aa C36:1	PS aa C40:4		
PS aa C36:2	PS aa C40:5		
PS aa C36:3	PS aa C40:6		
PS aa C36:4	PS aa C40:7		
PS aa C38:1	PS aa C42:1		
PS aa C38:2	PS aa C42:2		
PS aa C38:3	PS aa C42:4		
PS aa C38:4	PS aa C42:5		
PS aa C38:5			

Sphingomyelins (33)			
SM C3:0	SM C19:1	SM C22:0	SM C24:1
SM C14:0	SM C19:2	SM C22:1	SM C24:2
SM C15:0	SM C20:0	SM C22:2	SM C24:3
SM C16:0	SM C20:1	SM C22:3	SM C24:4
SM C16:1	SM C20:2	SM C23:0	SM C26:3
SM C17:0	SM C21:0	SM C23:1	SM C26:4
SM C18:0	SM C21:1	SM C23:2	
SM C18:1	SM C21:2	SM C23:3	
SM C19:0	SM C21:3	SM C24:0	

Ceramides (131)			
Ceramides ⁹⁾ (44)			
N-C7:0-Cer	N-C12:1-Cer	N-C18:0-Cer	N-C23:1-Cer
N-C7:1-Cer	N-C13:0-Cer	N-C18:1-Cer	N-C24:0-Cer
N-C8:0-Cer	N-C13:1-Cer	N-C19:0-Cer	N-C24:1-Cer
N-C8:1-Cer	N-C14:0-Cer	N-C19:1-Cer	N-C25:0-Cer
N-C9:0-Cer	N-C14:1-Cer	N-C20:0-Cer	N-C25:1-Cer
N-C9:1-Cer	N-C15:0-Cer	N-C20:1-Cer	N-C26:0-Cer
N-C10:0-Cer	N-C15:1-Cer	N-C21:0-Cer	N-C26:1-Cer
N-C10:1-Cer	N-C16:0-Cer	N-C21:1-Cer	N-C27:0-Cer
N-C11:0-Cer	N-C16:1-Cer	N-C22:0-Cer	N-C27:1-Cer
N-C11:1-Cer	N-C17:0-Cer	N-C22:1-Cer	N-C28:0-Cer
N-C12:0-Cer	N-C17:1-Cer	N-C23:0-Cer	N-C28:1-Cer
2-Hydroxyacyl-ceramides ⁹⁾ (22)			
N-C7:0(OH)-Cer	N-C13:0(OH)-Cer	N-C19:0(OH)-Cer	N-C25:0(OH)-Cer
N-C8:0(OH)-Cer	N-C14:0(OH)-Cer	N-C20:0(OH)-Cer	N-C26:0(OH)-Cer
N-C9:0(OH)-Cer	N-C15:0(OH)-Cer	N-C21:0(OH)-Cer	N-C27:0(OH)-Cer
N-C10:0(OH)-Cer	N-C16:0(OH)-Cer	N-C22:0(OH)-Cer	N-C28:0(OH)-Cer
N-C11:0(OH)-Cer	N-C17:0(OH)-Cer	N-C23:0(OH)-Cer	
N-C12:0(OH)-Cer	N-C18:0(OH)-Cer	N-C24:0(OH)-Cer	

Lipid assay

⁹⁾ Partial lipid assay

Dihydroceramides ⁹⁾ (44)			
N-C7:0-Cer(2H)	N-C12:1-Cer(2H)	N-C18:0-Cer(2H)	N-C23:1-Cer(2H)
N-C7:1-Cer(2H)	N-C13:0-Cer(2H)	N-C18:1-Cer(2H)	N-C24:0-Cer(2H)
N-C8:0-Cer(2H)	N-C13:1-Cer(2H)	N-C19:0-Cer(2H)	N-C24:1-Cer(2H)
N-C8:1-Cer(2H)	N-C14:0-Cer(2H)	N-C19:1-Cer(2H)	N-C25:0-Cer(2H)
N-C9:0-Cer(2H)	N-C14:1-Cer(2H)	N-C20:0-Cer(2H)	N-C25:1-Cer(2H)
N-C9:1-Cer(2H)	N-C15:0-Cer(2H)	N-C20:1-Cer(2H)	N-C26:0-Cer(2H)
N-C10:0-Cer(2H)	N-C15:1-Cer(2H)	N-C21:0-Cer(2H)	N-C26:1-Cer(2H)
N-C10:1-Cer(2H)	N-C16:0-Cer(2H)	N-C21:1-Cer(2H)	N-C27:0-Cer(2H)
N-C11:0-Cer(2H)	N-C16:1-Cer(2H)	N-C22:0-Cer(2H)	N-C27:1-Cer(2H)
N-C11:1-Cer(2H)	N-C17:0-Cer(2H)	N-C22:1-Cer(2H)	N-C28:0-Cer(2H)
N-C12:0-Cer(2H)	N-C17:1-Cer(2H)	N-C23:0-Cer(2H)	N-C28:1-Cer(2H)
2-Hydroxyacyl-dihydroceramides ⁹⁾ (21)			
N-C7:0(OH)-Cer(2H)	N-C14:0(OH)-Cer(2H)	N-C20:0(OH)-Cer(2H)	N-C26:0(OH)-Cer(2H)
N-C8:0(OH)-Cer(2H)	N-C15:0(OH)-Cer(2H)	N-C21:0(OH)-Cer(2H)	N-C27:0(OH)-Cer(2H)
N-C9:0(OH)-Cer(2H)	N-C16:0(OH)-Cer(2H)	N-C22:0(OH)-Cer(2H)	N-C28:0(OH)-Cer(2H)
N-C10:0(OH)-Cer(2H)	N-C17:0(OH)-Cer(2H)	N-C23:0(OH)-Cer(2H)	
N-C11:0(OH)-Cer(2H)	N-C18:0(OH)-Cer(2H)	N-C24:0(OH)-Cer(2H)	
N-C13:0(OH)-Cer(2H)	N-C19:0(OH)-Cer(2H)	N-C25:0(OH)-Cer(2H)	

Lipid assay

Oxysterol assay

Free (oxy-) sterols (18)	
Cholesterol	4 β -Hydroxycholesterol
7-Dehydrocholesterol	7 α -Hydroxycholesterol
Desmosterol	7 β -Hydroxycholesterol
24,25-Dihydrolanosterol	22R-Hydroxycholesterol
5 α ,6 β -Dihydroxycholestanol (THC)	24S-Hydroxycholesterol
5 α ,6 α -Epoxycholesterol	25-Hydroxycholesterol
5 β ,6 β -Epoxycholesterol	27-Hydroxycholesterol
24,25-Epoxycholesterol	7-Ketocholesterol
7 α -Hydroxycholestenone	Lanosterol

⁹⁾ Partial lipid assay

Tryptophan metabolism assay

Tryptophan metabolites (17)	
Anthranilic acid	Nicotinamide
3-Hydroxyanthranilic acid	Nicotinic acid
5-Hydroxyindoleacetic acid (5-HIAA)	Picolinic acid
3-Hydroxykynurenine	Quinaldic acid
5-Hydroxytryptophan	Quinolinic acid
3-Indolepropionic acid (IPA)	Serotonin
Kynurenic acid	Tryptophan
Kynurenine	Xanthurenic acid
Neopterin	

Ordering

Sales

E-Mail: sales@biocrates.com

Phone: +43 512 579 823

Services

E-Mail: services@biocrates.com

Phone: +43 512 579 823

For research use only | not for use in diagnostic procedures



[biocrates.com](https://www.biocrates.com)



[Video tutorials](#)



[Frequently Asked Questions \(FAQ\)](#)